

MOUNTAINSIDE
Stamps, Coins and Currency
 Post Office Box 1116
 Mountainside, New Jersey 07092
 Telephone: 908-232-0539 or 908-419-9751
 www.mountainsidestamps.com
 E-mail: tjacks@verizon.net

Tom Jacks, owner
 Member APS, ASDA, ANA

Professional philatelist
 and numismatist

Dear Customer:

Enclosed is my latest list of **United States Single Stamps**. This list features high catalog stamps of the 19th century both **used** and **unused** (Note #'s 2, 4, 6, 19, 28A, 40-47, 84, 85E, 92, 99, 103, 120, 126, 155, and 166, a nice selection of early commemoratives (note dollar values of Columbian and Trans-Mississippi series, 261A, 262, 263, 278). Also, early 20th century regular and commemorative issues with an extensive selection of the Washington-Franklin series (#'s 362 through 366, 498f and 499f, coils, Shanghai's for example) up through the Kansas-Nebraska issue. Back of the book stamps (airs, special deliveries, postage dues, parcel posts and officials) are also included as is the Philippines.

I also have an extensive stock of revenue stamps (no price list at this time). I welcome your want list for US singles, plate blocks, and booklets. I also have extensive lists of US plate blocks, booklets and panes, and duck stamps that are on the web site or will be sent on request.

I attend all major shows in the New York, Philadelphia, Boston, Washington, DC and California areas. Please stop by if you attend any of these shows. Thank you, *Tom Jacks*

DEFINITIONS: All stamps according to Scott catalog. All stamps have original gum unless stated otherwise. Photocopies can be sent. NH = never hinged, LH = lightly hinged, H = hinged.

TERMS: Payment with order. Minimum order \$25. Time payments accepted. Please add \$4.00 per order for postage and insurance. VISA, Mastercard, Discover, or American Express accepted (send card#, exp. date, CVV# on back+ your phone #). Seven day unconditional return privilege; after 30 days, all sales final. Items to be sent for certification must be agreed to at time of sale.

UNITED STATES USED SINGLE STAMP LIST

<u>Scott #</u>	<u>Condition</u>	<u>Price</u>	<u>Comments</u>
9X1	VF	\$425.	Signed ACM connected
1	F-VF	350.	
1	VF	450.	4 margins
1	XF	550.	PF cert.
2	F-VF	750.	
2	VF-XF	1,200.	Red cancel; APS cert.
6	F-VF	9,000.	PF cert.
7	Fine	110.	
7	VF	135.	
8A	F-VF	700.	
9	F-VF+	100.	
9	VF	120.	
10	F-VF+	100.	
10	F-VF	160.	On cover
12	Ave.-Fine	400.	
12	F-VF	500.	Pen cancel
12	VF	850.	PF cert.
13	VF	900.	
14	VF	100.	
15	XF	325.	

15	VF	400.	Pair
15	VF	600.	Pair; pos. 41-42LI
16	Fine	900.	
17	F-VF+	175.	
17	Fine	175.	Paid cancel
17	VF	350.	Red cancel
17	F-VF	650.	Pair; Philadelphia cancel
18	F-VF	450.	
18	VF	1,200.	Pair
19	F-VF	6,500.	PF cert.
20	VF	270.	
21	F-VF	2,000.	On cover; PF cert.
22	F-VF	400.	Plate 4; break at top
22	VF	450.	
22	VF+	550.	
25	Fine	50.	
27	F-VF	1,000.	Brick red shade
28	Fine	375.	
28	F-VF	750.	
28A	F-VF	2,400.	
28b	F-VF	1,450.	PF cert.
29	F-VF+	350.	
29	VF-XF	450.	
30A	F-VF+	250.	
30A	VF	300.	
31	F-VF	900.	
32	VF	500.	Strip of 3; PF cert.
33	Fine	110.	
33	VF	265.	APS cert.
36	F-VF	225.	
36	F-VF+	275.	Red cancel
37	F-VF+	300.	
37	F-VF+	325.	Red cancel
38	F-VF	250.	
38	VF	325.	
39	VF	1,250.	
62b	F-VF	1,000.	
63	VF-XF	100.	
64	F-VF	550.	PF cert; slight tear
64	F-VF	600.	PF cert.
64	F-VF	700.	PF cert.
64	VF	850.	PF cert.
67	Fine	600.	
67	F-VF+	750.	
67	VF	850.	
68	F-VF	50.	
68	XF	100.	
69	VF-XF	190.	
70	F-VF	150.	
70b	F-VF	550.	PF cert.
70c	Fine	950.	PF cert; small tear
70d	Fine	900.	PF cert; small thin
72	F-VF	400.	
73	F-VF	50.	Nice Copies
75	Fine	300.	
76	Fine	65.	
76	VF	150.	
77	Fine	100.	
78	F-VF	225.	
78a	F-VF	200.	APS cert.
83	Fine	475.	

83	F-VF	675.	PF cert: minor creases
83	F-VF+	800.	
84	Fine	2,850.	
85	Fine	550	
85	Fine	600.	PF cert.
85	F-VF	850.	PF cert; minor fault
85B	Ave-Fine	800.	PF cert. minor fault
85B	Ave.-Fine	850.	PF cert. sound
85E	F-VF	1,500.	PSE cert.
86	Fine	250.	
86	VF	450.	
87	Fine	125.	
89	F-VF	200.	
90	Ave-F	175.	
90	F-VF	275.	
91	Fine	350.	
91	VF	575.	PSE cert.
92	F-VF	350.	
93 pair	F-VF	200.	PF cert.
95	Ave.-Fine	300.	
95a	F-VF	725.	
96	F-VF	200.	
97	F-VF	165.	
97	F-VF	225.	Red cancel
98	Fine	200.	
98	Fine	225.	APS cert.
98	F-VF	450.	PSE cert.
99	Fine	575.	
99	F-VF	700.	
100	Fine	450.	
100	F-VF	700.	PF cert.
101	Fine	500.	
112	F-VF	110.	
113	F-VF	70.	
114	XF	95.	
115	F-VF	125.	
116	F-VF	85.	
116	F-VF	120.	Red cancel
116	VF-XF	300.	PF cert.
117	F-VF	100.	
117	VF	135.	
118	Fine	350.	
118	F-VF	450.	
118	VF	550.	
118	VF-XF	750.	
119	F-VF	165.	
119	VF-XF	300.	
120	Fine	250.	
120	F-VF	425.	
121	F-VF	325.	
121	VF	450.	
122	Fine	900.	
122	F-VF	1,200.	
122	F-VF+	1,500.	
134	F-VF	125.	
136	VF-XF	65.	
136	XF	100.	PSE cert.
137	F-VF	300.	
137	F-VF	450.	PF cert.

138	Fine	275.	
140	Fine	1,750.	PF cert.-small faults
141	F-VF	800.	
143	Fine	1,500.	Pen cancel; PF cert.
143	F-VF	2,500	
144	F-VF+	1,650.	
149	VF	95.	
149	VF-XF	180.	
151	F-VF	120.	
151	VF	190.	
153	F-VF	120.	
153	VF-XF	250.	
154	Fine	120.	
154	VF	250.	
155	VF	230.	
160	F-VF	60.	
162	VF	110.	
165	F-VF	90.	
166	F-VF	150.	
166	VF	300.	
190	VF-XF	125.	
205	F-VF	95.	Block of 4
208	XF	250.	
211	F-VF	100.	Block of 4
217	VF-XF	200.	.
218	Fine	120.	
218	VF	250.	
218	VF-XF	300.	
218	XF	375.	
239	VF	75.	
240	F-VF	130.	
240	VF	170.	
241	F-VF	300.	small faults
241	F-VF	450.	
241	VF	550.	
241	VF-XF	600.	
242	Fine	300.	
242	F-VF	450.	
242	VF	550.	
242	VF-XF	600.	PF cert.
243	VF	900.	
243	VF-XF	1,100.	
244	F-VF	750.	
244	VF	1,000.	
244	VF	1,200.	PF cert.
245	Fine	700.	
245	VF	850.	Some thins
245	F-VF	950.	
245	VF	1,250.	
256	VF	135.	Block of 4
261A	F-VF	550.	
262	VF	1,000.	PF cert.
272A	Fine	450.	Wmk. USIR; small thin
275	VF	35.	
276	F-VF	75.	
276A	F-VF	135.	
276A	VF	200.	
276A	VF-XF	400.	
277	VF-XF	550.	

278	F-VF	450.	
278	VF	600.	
278	VF-XF	750.	
291	F-VF	110.	
291	XF-S	250.	
292	F-VF	450.	
292	VF-XF	600.	
293	F-VF	750.	
293	VF+	900.	
293	VF-XF	1,000.	PF cert.
294-99 set	F-VF	90.	
300b	VF	600.	Booklet pane with tab
311	VF	70.	
312	F-VF	160.	
312	VF	195.	
313	VF-XF	850.	
319g	F-VF	700.	with tab
377	XF-S	45.	Jumbo
390 line pair	VF-XF	170.	
395 pair	F-VF	175.	
396 pair	VF	165.	
396 line pair	VF	700.	
401-04 set	F-VF	85.	
404	VF	60.	
410 line pair	VF-XF	175.	
412 line pair	VF-XF	325.	
413 line pair	F-VF	150.	
413 line pair	VF	175.	
444 line pair	VF	175.	
446 pair	VF	425.	Paste-up pair
449	VF	600.	PSE cert.
457 pair	VF	95.	
460	VF-XF	200.	
477	F-VF	55.	
478	VF	125.	Block of 4
491	VF+	850.	PSE cert.
523	F-VF	165.	
547	VF	30.	
634A	VF-XF	60.	Block of 4
C1-6 set	VF-XF	170.	
C6	VF-XF	30.	
C10a	VF	100.	With tab
C13	VF-XF	175.	
C13	XF	225.	
C14	VF	325.	
C14	VF	350.	On flown card
C15	F-VF	525.	
C15	VF	550.	
C13-15 set	VF	1,000.	
C18	VF-XF	60.	
J17	Fine	130.	
J17	F-VF	190.	
J21	F-VF	150.	
J27	F-VF	135.	
J29	Fine	325.	
J30	Fine	150.	
J59	F-VF	300.	
K1, K2	F-VF	40. each	
K5	F-VF	60.	

K5	VF	95.	
K6	VF	190.	
O9	VF-XF	250.	
O58	F-VF	70.	
O61	VF-XF	125.	PSE cert.
O80	VF	85.	
O106	VF	75.	
O113	F-VF	300.	
RW-1	VF	130.	
RW-2	VF	140.	
RW-3	VF-XF	70.	
RW-5	VF	50.	

UNITED STATES UNUSED SINGLE STAMP LIST

<u>Scott #</u>	<u>Condition</u>	<u>Price</u>	<u>Comments</u>
10X1	VF-XF	\$300.	
1	VF	4,000.	Part OG; PF cert.
3	VF	800.	
3	VF-XF	1,000.	PF cert.
4	VF-XF	1,100.	PF cert.
9	VF	300.	No gum
11 pair	VF	185.	No gum
11 pair	F-VF, NH	600.	
15	VF-XF	1,850	No gum
24	F-VF	150.	No gum
30	F-VF	500.	No gum-PF certificate
37	Fine	350.	No gum
38	F-VF	650.	No gum
38	F-VF, LH	1,500	Full OG
38	VF, LH	1,800.	Full OG
39	F-VF	1,100.	No gum
40	F-VF	525.	No gum as issued
41	F-VF	2,800.	No gum as issued; PF cert.
42	F-VF	1,100.	No gum as issued; APS cert.
44	VF	2,750.	No gum as issued; PSE cert.
45	F-VF	2,800.	No gum as issued; APS cert.
46	F-VF	3,750.	No gum as issued; PF cert.
47	F-VF	3,500.	No gum as issued; APS cert.
56	F-VF, H	375.	Now 65E-15h; full OG
56	VF, H	475.	Now 65E-15h; full OG
64B	VF	200.	No gum; APS cert.
65	F-VF, LH	120.	Full OG
65	VF, NH	250.	Full OG
66	VF	1,800.	Full OG; PF cert.
69	F-VF	600.	No gum
71	F-VF, LH	1,250.	Full OG
72	Fine, H	1,200.	Full OG
72	VF, LH	2,500.	Full OG
73	F-VF, H	200	Full OG
75	F-VF+	1,600.	No gum
75	F-VF, H	2,750.	Full OG; PF cert. small fault
75	F-VF, LH	3,000.	Full OG
78a	F-VF+	650.	No gum; PSE cert.
86	Fine+	800.	No gum-PF cert.
88	Fine, H	375.	Part OG
88	VF, LH	1,050.	Full OG; APS cert.
91	Ave.-fine	1,500.	No gum
92	F-VF, LH	2,000.	Full OG-APS cert.
94	VF, LH	400.	Full OG

94	VF, NH	700.	Full OG
96	F-VF, H	1,250.	Part OG
98	F-VF	900.	No gum
99	Ave.-Fine, LH	3,500.	Full OG, PF cert.
99	F-VF, LH	5,500.	Full OG, PF cert.
102	F-VF	350.	No gum
102	VF-XF, LH	800.	Full OG
106	F-VF, H	3,500.	Full OG; PF cert.
107	F-VF	2,300.	No gum; PSE cert.
108	VF, LH	4,800.	Full OG-PF cert.
110	F-VF	2,500.	No gum; PSE cert.
111	F-VF, LH	6,000.	Full OG-PF cert.
112	Fine,	225.	No gum
113	F-VF	175.	No gum
113	F-VF, LH	400.	Full OG
113	VF, LH	700.	Full OG
120	F-VF, H	5,000.	Full OG, PF cert.
121	F-VF, H	2,100.	Part OG, PF cert.
121	VF	2,500.	No gum; PF cert.
126	VF, H	1,800.	Full OG; PF cert.
127	VF, H	1,800.	Full OG; PF cert.
135	F-VF, LH	700.	Full OG; PSE cert.
138	F-VF	750.	No gum
146	VF, H	350.	Full OG
148	F-VF	600.	Full OG
149	VF, H	1,000.	Full OG; PF cert.
149	VF+, H	1,100.	Full OG
151	F-VF	650.	No gum
151	F-VF+, LH	1,500.	Full OG,
152	Fine, LH	1,000.	Full OG, PF cert.
153	VF, H	1,900.	OG; PSE cert.
154	F-VF	1,750.	No gum
155	VF, H	3,500.	Full OG
156	F-VF, LH	160.	Full OG
156	F-VF+, LH	200.	Full OG
157	F-VF+, LH	300.	Full OG; PSE cert.
157	VF, LH	400.	Full OG; PSE cert.
157	VF-XF, LH	525.	Full OG
157	VF-XF, NH	650.	Full OG
159	F-VF, H	250.	Full OG
159	VF-XF, LH	425.	Full OG
160	VF, LH	1,300.	Full OG
161	F-VF, H	650.	Part OG
161	VF-XF, H	1,100.	Full OG-PSE cert.
163	VF	850.	No gum
165	VF	900.	No gum; PF cert.
178	Fine, NH	200.	Full OG
178	VF, LH	400.	Full OG
179-E4	Fine, H	225.	Full OG; Essay
185	VF, LH	475.	Full OG
188	VF	700.	No gum; PF cert.
188	VF-XF	825.	No gum; PF cert.
188	VF-XF, LH	2,000.	Full OG
189	VF, LH	325.	Full OG
189	VF-XF, LH	375.	Full OG
190	Fine, LH	650.	Full OG; APS cert.
190	VF, LH	900.	Full OG; PF cert.
190	VF-XF, LH	1,200.	Full OG
191	F-VF, H	1,300.	Full OG

205	VF, LH	275.	Full OG
205	VF-XF, LH	375.	Full OG
206	VF, LH	80.	Full OG
206	XF, H	120.	Full OG
207	F-VF, LH	65.	Full OG
207	F-VF, NH	275.	Full OG
208	VF, LH	750.	Full OG
208a	F-VF, H	350.	Full OG
208a	VF, LH	575.	Full OG
208a	F-VF, NH	900.	Full OG
209	VF, LH	170.	Full OG
209	VF-XF, LH	300.	Full OG; PF cert.
209	VF, NH	550.	Full OG
209	VF, NH	525.	Full OG
209	VF-XF, NH	700.	Full OG
209b	VF-XF, LH	2,750.	Full OG
210	VF-XF, LH	50.	Full OG
210	VF-XF, NH	220.	Full OG
210	XF, H	250.	Full OG-wide margins
211	F-VF, H	200.	Full OG
211	VF, NH	950.	Full OG
212	VF-XF, LH	140.	Full OG
212	F-VF, LH	350.	Full OG; block of 4
212	VF-XF, NH	475.	Full OG
213	F-VF, H	35.	Full OG
213	VF, NH	125.	Full OG
213	XF, NH	200.	Full OG
214	F-VF, NH	125.	Full OG
214	VF	180.	Full OG
214	VF, NH	200.	Full OG
214	VF-XF, NH	275.	Full OG
215	F-VF, LH	175.	Full OG
215	VF-XF, LH	275.	Full OG
215	XF, LH	375.	Full OG
216	VF, H	225.	Full OG; APS cert.
216	VF, NH	700.	Full OG
217	VF, LH	375.	Full OG
217	VF-XF, LH	475.	Full OG
217	XF, LH	500.	Full OG-PF cert.
218	F-VF+, LH	750.	Full OG
218	VF, LH	900.	Full OG
218	VF, LH	1,000.	Full OG-PF cert.
219	VF, NH	80.	
219	VF-XF, NH	125.	
219D	F-VF, LH	125.	
219D	VF, LH	200.	
219D	F-VF, NH	450.	
219D	VF, NH	650.	
219De pair	XF	75.	NGAI
221	VF, LH	70.	
221	VF, NH	225.	
222	VF, LH	90.	
222Pa pair	XF, LH	200.	
223	F-VF, LH	50.	
223	VF, LH	80.	
223	F-VF, NH	200.	
223	VF, NH	250.	
223	VF-XF, NH	300.	
223Pa pair	VF-XF, LH	225.	
224	VF, LH	75.	

224	F-VF, NH	160.	
224	VF, NH	230.	
224	VF-XF, NH	325.	
225	VF, LH	70.	
225	VF-XF, LH	110.	
225	F-VF, NH	150.	
225	VF, NH	180.	
226	VF, LH	175.	
226	VF-XF, LH	225.	
226	VF, NH	500.	
226Pa pair	VF-XF, NH	300.	
227	Fine, LH	150.	
227	F-VF, LH	175.	
227	VF, LH	250.	
227	F-VF, NH	450.	
227	VF, NH	750.	
227	VF-XF, NH	1,000.	
228	F-VF+, LH	300.	
228	VF, LH	400.	
229	VF, LH	500.	
229	F-VF, NH	800.	
230	F-VF, NH	30.	
230	VF, NH	40.	
230	VF-XF, NH	60.	
230	XF, NH	100.	
230	XF-S, NH	175.	
230	Fine, NH	150.	Pl. # Strip of 5 (B)
230	F-VF, NH	200.	Pl. # strip of 5 (T)
231	VF-XF, LH	20.	
231	F-VF, NH	30.	
231	VF, NH	40.	
231	VF-XF, NH	60.	
231	XF, NH	100.	
231	XF-S, NH	200.	Jumbo; PSE cert.
231	F-VF, NH	120.	Pl. # strip of 3 (T)
231	VF, NH	175.	Pl. # strip of 3 (T)
231	VF-XF, NH	300.	Block of 4
232	F-VF, NH	85.	
232	F-VF, NH	100.	Pl. # 57
232	VF, NH	110.	
232	XF, NH	270.	
232	F-VF, LH	275.	Pl. # strip of 4 (B)
232	F-VF, NH	450.	Pl. # strip of 4 (T)
232	VF, NH	525.	Pl. # strip of 4 (T)
233	F-VF, LH	40.	
233	F-VF, NH	125.	
233	VF, NH	180.	
233	VF-XF, NH	235.	
233	VF-XF, NH	265.	PF cert.
233	XF, NH	300.	PF cert.
233	XF-S, NH	500.	PF cert.
233	VF-XF, NH	850.	Pl. # strip of 4 (B)
234	F-VF, LH	70.	
234	F-VF, NH	140.	
234	VF, NH	200.	
234	VF-XF, NH	230.	
234	XF, NH	250.	PSE cert.
234	VF-XF, LH	375.	Pl. # strip of 3
235	VF, LH	65.	
235	F-VF, NH	130.	

235	F-VF, NH	175.	Pl. # 104
235	VF, NH	175.	
235	VF-XF, NH	225.	
236	F-VF, LH	40.	
236	F-VF, NH	115.	
236	VF, NH	170.	
236	F-VF, NH	220.	Pl. #130 pair
236	VF, LH or NH	425.	Block of 4
237	F-VF, LH	75.	
237	VF, LH	110.	
237	VF-XF, LH	145.	
237	F-VF, NH	200.	
237	VF, NH	275.	
237	VF-XF, NH	325.	
237	VF-XF, NH	350.	PSE cert.
237	VF, NH	1,250.	PL. # strip of 4 (B)
237	F-VF, LH	125.	
238	VF, LH	210.	
238	F-VF, NH	450.	
238	VF, NH	650.	
238	VF-XF, NH	850.	
239	VF, NH	725.	
239	VF-XF, NH	850.	
240	F-VF, LH	325.	
240	VF, LH	475.	
240	Fine, NH	525.	
240	VF-XF, LH	900.	Pl. #77; PF cert.
240	F-VF, NH	900.	
241	F-VF, LH	750.	
241	VF, LH	900.	
241	VF+, LH	1,200.	PF cert.
241	VF, NH	2,000.	
242	F-VF, LH	750.	
242	VF, LH	900.	
242	VF+, LH	1,200.	PF cert.
243	F-VF, LH	1,100.	
243	VF, LH	1,600.	
243 or 243a	VF+, LH	1,750. each	PF cert
243	VF-XF, LH	1,900.	
244	VF, LH	2,000.	
244	VF+, LH	2,600.	PF cert.
244a	VF+, LH	2,600.	PF cert.
245	F-VF, LH	1,800.	
245	VF, LH	2,250.	
245	VF+, LH	2,700.	PSE or PF cert.
245	VF-XF, NH	4,500.	
246	F-VF, LH	110.	Pl. # strip of 3
251	VF, NH	900.	Part imp.; PSE cert.
251	VF, NH	900.	Pl. #133 (T); PSE cert.
254	Fine, LH	275.	Pl. # strip of 3
255	F-VF, LH	225.	Imprint pair
257	Fine, NH	275.	
257	F-VF, NH	325.	
258	F-VF, NH	1,900.	Pl. # strip of 3
260	VF, LH	550.	PF cert.
261	VF, H	800.	
261	VF, LH	1,000.	
261A	F-VF+, H	1,600.	
261A	VF-XF, LH	2,750.	PF cert.
262	VF, H	2,500.	

262	VF, LH	3,000.	PF cert.
263	F-VF, LH	2,750.	PSE cert.
264	VF, LH	15.	Pl. # 122
264	VF-XF, NH	30.	
264	F-VF, NH	45.	Pl. # strip of 3
264	VF-XF, NH	70.	Pl. # strip of 3
265	VF-XF, NH	90.	
266	VF, NH	110.	
266	VF, NH	135.	Pl. #169
267	F-VF, NH	10.	
267	VF, LH	15.	Pl. # 325, 186
267	VF, NH	25.	
267	XF, NH	35.	
267	F-VF, NH	45.	Pl. # strip of 3
267	VF, NH	60.	Pl. # strip of 3
268	F-VF, NH	75.	
268	XF, LH	120.	
268	VF, NH	150.	PSE cert.
269	VF-XF, NH	400.	PSE cert.
269	VF, NH	325.	Pl. # strip of 3
270	F-VF, NH	90.	
270	VF+, NH	150.	
270	VF-XF, NH	175.	Pl. # 190
270	F-VF, LH or NH	300.	Block of 4
271	VF, NH	325.	
271	VF, NH	625.	Imprint pair
272	VF, LH	65.	
272	VF+, NH	300.	
273	F-VF, NH	225.	
273	F-VF, NH	250.	Pl. # 62
273	VF-XF, NH	600.	PSE cert.
273	F-VF+, NH	450.	Imprint pair
273a	VF-XF, H	340.	Imperforate pair
273	VF-XF, NH	700.	PSE cert.
274	VF, NH	725.	
275	F-VF, LH	200.	
276	F-VF, LH	575.	
276	VF, H	625.	
277	VF, LH	1,000.	
278	VF, LH	2,100.	
279	VF, NH	25.	
279	XF, NH	50.	Pl. # 828 or 439
279	VF-XF, NH	60.	Imprint pair
279	Fine, NH	30.	Pl. # strip of 3
279B	F-VF, NH	20.	
279B	VF-XF, NH	40.	
279Bj	F-VF, NH	450.	Booklet pane; horiz. wmk.
279Bj	F-VF, NH	550.	“(A)
279Bjs	VF, NH	650.	“(A) specimen
279Bk	Fine, LH	250.	Booklet pane; vert. wmk.(A)
279Bk	F-VF, LH	350.	“(A)
279Bk	VF, LH	450.	“(A)
279Bk	Fine, NH	450.	“(C)
279Bk	F-VF, NH	650.	“(A)
279Bk	VF, NH	800.	“(B)
280	VF, LH	35.	
280	XF, LH	60.	
280	VF, NH	90.	
281	VF, LH	35.	
281	F-VF, NH	75.	

281	VF, NH	110.	
281	VF, LH	120.	Imprint strip of 3
282	XF, NH	900.	Imprint strip of 3; PSE cert.
282c	F-VF, LH	150.	
283	F-VF, LH	125.	
283	VF-XF, LH	160.	
283	VF, LH	250.	Imprint pair
284	VF, LH	150.	
284	F-VF+, NH	350.	
284	VF, NH	400.	
284	VF, NH	1,100.	Imprint strip of 3
285	F-VF, NH	45.	
285	F-VF, NH	65.	Pl. # 635
285	VF, NH	65.	
285	F-VF, NH	75.	Pl. #635
285	VF, NH	80.	
285	VF-XF, NH	110.	Pl. # 600
285	VF-XF, NH	125.	
285	F-VF, NH	120.	Pl. # and imp. pair
285	VF, NH	150.	Pl. # and imp. pair
285	VF-XF, NH	200.	Pl. # and imp. pair
285	VF-XF, NH	350.	Right arrow block
285	XF, NH	500.	PF cert.
286	F-VF, NH	40.	
286	VF, NH	75.	
286	VF-XF, NH	100.	
286	F-VF, LH	30.	Pl. # single
286	Fine, NH	55.	Pl. # single
286	F-VF, NH	70.	Pl. # single
286	F-VF, NH	125.	Pl.# and imp. pair
286	VF, NH	160.	Pl.# and imp. pair
286	VF-XF, NH	250.	Pl.# and imp. pair
287	F-Vf, LH	85.	Pl. #599
287	VF, LH	125.	
287	Fine, NH	175.	Pl. # 636
287	F-VF, NH	225.	
287	Fine, NH	225.	Pl. # and imp. pair
287	XF, LH	225.	
287	F-VF, NH	250.	Pl. #634
287	VF, NH	325.	Pl. #634
287	VF-XF, NH	350.	
287	VF, NH	650.	P. # and Imp pair
287	F-VF, 2LH, 2NH	675.	Block of 4
288	Fine, NH	175.	
288	XF, LH	225.	
288	VF, NH	275.	
288	VF+	400.	
288	F-VF, NH	300.	Pl. # 614
288	VF-XF, NH	400.	
288	F-VF, 2LH, 2NH	750.	Block of 4
289	F-VF, NH	300.	
289	VF, NH	350.	
289	VF, LH	375.	Pl. # and imp. pair
289	VF-XF, NH	550.	PF cert.
290	VF, LH	150.	
290	VF-XF, LH	180.	
290	F-VF, NH	325.	
290	F-VF, LH	375.	Pl. # and imp. pair
291	F-VF, NH	850.	
291	VF, NH	1,200.	

292	VF, LH	1,300.	PSE cert.
292	VF-XF, LH	1,450.	PSE cert.
293	VF, LH	2,000.	
293	VF+, LH	2,250.	PF cert.
293	F-VF+, NH	3,000.	
294	F-VF, NH	30.	
294	VF, NH	35.	
294	VF-XF, NH	60.	
294	XF, NH	100.	
294	XF, Nh	150.	Corner single with Letters
294	F-VF, NH	40.	Pl. # single
294	VF, NH	75.	Pl. # single
294	VF, H	70.	Pl. # and imp. strip of 3
294	VF-XF, NH	200.	Bottom arrow block
295	F-VF, NH	30.	
295	VF, NH	35.	
295	VF-XF, NH	60.	
295	XF, NH	100.	Scarlet shade
295	XF, NH	125.	Corner single with letters
295	F-VF, NH	45.	Pl. # single
295	VF-XF, NH	60.	Pl. # single
295	F-VF, NH	100.	Pl. # and Imp. strip of 3
295	VF-XF, LH	200.	Pl. # and Imp. strip of 3
295	VF, LH	125.	Top arrow block
296	VF, H	75.	
296	Fine, NH	110.	Pl. # 1145 or 1142
296	F-VF, LH	175.	Pl. # and Imp pair
296	VF, NH	190.	PSE cert.
296	VF, LH	175.	Pl. # and imp. pair
296	Fine, NH	350.	Pl. # and imp. strip of 3
296	F-VF, NH	450.	Pl. # and imp. strip of 3
297	VF, LH	85.	
297	F-VF, NH	150.	
297	VF, NH	200.	
297	VF-XF, NH	235.	
297	Fine, NH	350.	Pl. # and imp. strip of 3
297	F-VF, NH	525.	Pl. # and imp. strip of 3
298	VF, LH	100.	
298	F-VF, NH	200.	
298	VF, NH	250.	
298	VF-XF, NH	275.	PSE cert.
298	VF, NH	300.	Corner single with letters
298	VF, LH	425.	Pl. # and Imp. strip of 3
298	F-VF, LH	475.	Bottom block of 4 with arrow
298	VF, NH	800.	Pl. # and imp. strip of 3
299	VF-XF, LH	150.	
299	Fine, NH	200.	
299	Fine, NH	200.	Pl. # 1151
299	F-VF, NH	275.	
299	VF, NH	300.	Pl. # 1151
299	VF, NH	300.	
299	VF-XF, NH	375.	Pl. # 1151
299	F-VF, NH	1,000.	Pl. # and imp strip of 3
300	VF, LH	12.	
300	VF, NH	25.	
300b	F-VF, LH	425.	(A)
300b	VF-XF, LH	550.	(A or E)
300b	F-VF, NH	850.	(A)
300b	VF, NH	950.	(A). Nice pane
300b	F-VF, LH	1,100.	#3468

300b	F-VF, NH	1,300.	#3471
301	VF, LH	15.	
301	F-VF, NH	25.	
301	VF, NH	35.	
301	VF-XF, NH	45.	
301	VF, NH	65.	Pl. # single
301	XF-S, NH	90.	PSE cert.
301	F-VF, NH	90.	Pl. # and imp strip of 3
301	VF-XF, NH	110.	Imprint pair
301c	F-VF, LH	350.	Pos. A
301c	F-VF, LH	400.	E
301c	VF, LH	450.	A
301c	F-VF, NH	650.	A or E
301c	VF, NH	850.	A; PSE cert.
302	VF, LH	50.	
302	F-VF, NH	100.	
302	VF-XF, NH	180.	
303	VF, LH	55.	
303	VF, NH	125.	
304	VF, LH	50.	
304	F-VF, NH	100.	
304	VF, NH	130.	
305	VF, LH	60.	
305	F-VF, NH	135.	
305	F-VF+, LH	250.	Block of 4
306	VF, LH	45.	
307	VF, LH	65.	
307	F-VF+, NH	150.	
308	VF, LH	45.	
308	F-VF, NH	95.	
308	VF, NH	25.	
309	F-VF, LH	135.	
309	F-VF, NH	300.	
310	F-VF, LH	375.	
310	VF-XF, LH	450.	
311	VF, LH	700.	
311	VF+, LH	750.	PF cert.
311	XF, LH	1,000.	
312	F-VF, LH	825.	
312	VF, LH	1,000.	
313	VF, LH	1,100.	Repaired corner
313	VF, LH	3,000.	PF cert.
313	F-VF, NH	3,500.	
314	VF-XF, NH	30.	
314	VF-XF, LH	85.	Imprint block of 4
314	VF-XF, LH	125.	Center line block
314	XF, NH	275.	Center line block
315	VF-XF, LH	600.	Pair
315	VF-XF, NH	950.	Pair.
319	F-VF, NH	10.	
319	VF, NH	15.	
319b	F-VF, NH	17.	Carmine rose shade
319c	VF, NH	75.	Pl. # strip of 3
319f	F-VF, NH	17.	Lake shade
319i	F-VF, LH	65.	Carmine type 2; PSE cert.
319i	Fine, NH	95.	PSE cert.
319i	F-VF, NH	135.	PSE cert.
319i	VF, NH	165.	
319i	VF-XF, NH	200.	
319i	F-VF, NH	425.	Pl. # strip of 3

319g	F-VF, LH	90.	Booklet pane of 6
319g	VF, LH	120.	
319g	Fine, NH	100.	
319g	F-VF, NH	165.	
319g	VF, NH	210.	
319g	VF-XF, NH	240.	Pos. E
319g	F-VF, LH	220.	Pl. # 3532
319g	VF, LH	230.	Pl. # 3822, 4106,4115 or 4570
319g	F-VF, NH	375.	Pl. # 2881 or 3199
319g	VF, NH	450.	Pl. # 3810, 3822 or 3525
319g	VF-XF, NH	500.	#3197
319g	VF, NH	8,500.	# 3307; Horiz. wmk. PF cert
319h	VF, LH	900.	Carmine type 2
319h	F-VF, NH	1,250.	
319h	VF, NH	1,500.	
319h	F-VF, NH	2,200.	#4558
319n	F-VF, LH	225.	Carmine rose shade
319n	VF-XF, LH	300.	
319n	VF-XF, NH	450.	
319n	VF-XF, LH	450.	#4001
319p	VF, LH	185.	Scarlet shade
319p	F-VF, NH	300.	
319p	F-VF, NH	525.	#3819
319p	VF, NH	575.	#2548
319p	VF-XF, NH	625.	#2550
319q	Fine, LH	200.	Carmine lake shade (E)
319q	F-VF, LH	250.	
319q	VF, LH	275.	
319q	VF, LH	450.	Pos. G
319q	VF, NH	525.	
319q	VF-XF, NH	600.	
319q	VF, NH	800.	#4607
320	VF-XF, LH	15.	
320	VF-XF, NH	30.	
320	VF-XF, LH	70.	L or R arrow block
320	VF-XF, NH	150.	Left arrow block
320	VF-XF, NH	225.	Center line block
320a	VF-XF, NH	90.	Lake shade
320b	VF-XF, NH	35.	Scarlet shade
320b	VF-XF, LH	175.	Center line block
320c	VF-XF, NH	110.	Carmine rose shade
323	VF, LH	30.	
323	F-VF, NH	45.	
323	VF, NH	60.	
323	VF, NH	85.	Pl. #2140
323	VF-XF, NH	95.	
323	XF, NH	200.each	Pl. # 2138 or imprint
323	VF-XF, NH	275.	Left arrow block
324	F-VF, LH	22.	
324	F-VF, NH	45.	
324	VF, NH	55.	
325	F-VF, NH	150.	
325	F-VF, NH	175.	Pl. #2101
325	VF, NH	175.	
325	VF-XF, NH	200.	
325	VF-XF, NH	700.	Block of 4
325	VF, NH	700.	Left arrow block
326	F-VF, NH	160.	
326	VF, NH	185.	
327	F-VF, NH	225.	

327	VF, NH	325.	
328	F-VF, NH	50.	Pl. # single
328	VF-XF, NH	85.	Pl. #single
328	VF, LH	130.	Top arrow block
329	F-VF, NH	50.	
329	VF, NH	70.	
329	VF, NH	80.	Pl. # single
329	VF-XF, NH	120.	
329	VF-XF, NH	300.	Bottom arrow block
330	VF, LH	140.	
330	VF-XF, LH	200.	
330	F-VF, NH	200.	
330	VF, NH	950.	Pl. # + imp.strip of 3
331	VF, NH	15.	
331a	F-VF, LH	110.	(A)
331a	VF, LH	140. each	(A or E)
331a	XF, LH	185.	(A)
331a	Fine, NH	175.	(I)
331a	F-VF, NH	220.	(A)
331a	VF, NH	250. each	(A, E or I)
331a	VF-XF, NH	300.	(I)
331a	VF, NH	325.	(B)
331a	XF-S, NH	350.	(A)
331a	VF-XF, LH	225.	#5037 or 5041
331a	F-VF, NH	300.	#5040
332	VF, NH	13.	
332	XF, NH	20.	
332a	F-VF, LH	110.	(I) or (H)
332a	F-VF, NH	170.	(A, C or E)
332a	VF-XF, NH	220.	(A or E)
332a	XF, NH	275.	(E)
332a	F-VF, LH	100.	#4806, 5262, 5445, or 5450
332a	Fine, NH	185.	#5266 or 5445
333	F-VF, NH	65.	
333	VF, NH	85.	Pl. # 4927
333	XF, NH	135.	
333	XF-S, NH	225.	
334	F-VF, NH	65.	
334	VF-XF, NH	110.	
334	XF, NH	200.	
335	F-VF, NH	100.	
335	F-VF, NH	110.	Pl. # 4930
335	VF, NH	120.	
335	VF-XF, NH	150.	
335	VF, NH	400.	Block of 4-3mm spacing
336	VF, LH	55.	
336	VF-XF, LH	65.	
336	XF, NH	275.	
337	VF, LH	45.	
338	Fine, NH	70.	
338	VF-XF, LH	85.	
338	VF, NH	170.	
338	F-VF, NH	175.	#4944
338	XF, NH	375.	PSE cert.
339	F-VF, NH	75.	
339	VF, NH	95.	
339	VF-XF, NH	125.	
339	XF, NH	200.	PSE cert.
340	F-VF, NH	120.	

340	VF, NH	160.	
341	VF, LH	300.	
341	VF, LH	350.	Pl. # 4956
341	VF, NH	650.	
342	F-VF+, H	450.	
342	VF, LH	525.	
342	VF, NH	1,000.	
343	VF-XF, NH	9.	
343	XF, LH	30.	Center line block
343V	XF, NH	165.	Imp. coil strip of 4
344	VF-XF, NH	10.	
344V	VF-XF, NH	60.	Imp. coil strip of 4
345	VF-XF, NH	20.	
346	VF-XF, NH	30.	
346	XF, NH	240.	Centerline block
346V	XF, NH	635.	Imp. coil paste-up strip of 4
347	VF-XF, NH	60.	
347V	VF, NH	475.	Imp. coil strip of 4-PF cert.
347V	VF, NH	650.	Imp. coil GL strip of 4-PF cert.
348	F-VF, NH	50.	
348	F-VF, LH	70.	Pair
348	F-VF, NH	175.	Paste-up pair
348	XF, NH	350.	Pair; PSE cert.
348	XF, LH	350.	Line pair; PF cert.
348	VF, NH	475.	Line pair
348	XF, NH	550.	Line pair
349	F-VF, NH	125.	
349	XF, NH	500.	Pair
349	XF, LH	500.	Line pair
350	VF, NH	325.	
350	VF, LH	1,150.	Line pair; PF cert.
351	F-VF, NH	325.	
351	VF, LH	525.	Pair; PSE cert.
351	F-VF, H	475.	Paste-up pair with #4929
351	VF, NH	2,400.	Line pair; PF cert.
352	VF-XF, NH	450.	Pair-2mm spacing
352	F-VF, LH	350.	Paste-up pair
352	VF, NH	750.	Paste-up pair with star+imp.PF cert.
352	XF, NH	600.	Pair
352	VF, NH	1,500.	Line pair
352	XF, NH	1,800.	Line pair
353	F-VF, LH	60.	
353	XF, NH	215.	
353	XF, NH	250.	
353	F-VF, LH	150.	Pair-3 mm spacing
353	VF-XF, LH	225.	Pair-3 mm spacing
353	XF, NH	500.	Pair
353	VF, LH	700.	Line pair-PF cert.
353	XF, LH	1,500.	Line pair
354	VF, NH	450.	
354	VF-XF, LH	1,400.	Line pair; PF cert.
355	F-VF, NH	250.	
355	VF-XF, LH	325.	#4958 under paste up
355	F-VF, LH	450.	Pair
355	VF, LH	1,500.	Line pair; PSE cert.
356	VF-XF, H	5,000.	Pair; PF cert.
357	XF, NH	350.	Blue paper
358	VF, NH	175.	

359	VF, LH	1,900.	PF cert.
361	F-VF, LH	5,000.	PF cert.
362	F-VF, LH	1,350.	PF cert.
362	VF, LH	1,400.	PSE cert.
364	VF, LH	1,650.	
365	VF, LH	2,900.	PSE cert.
365	VF-XF, NH	5,550.	PF cert.
366	VF, NH	1,450.	PSE cert.
366	VF, NH	2,900.	
367	VF, NH	9.	
367	XF, NH	18.	
368	XF, NH	30.	Pair@2X
368	XF, LH	80.	arrow block
368	XF, Lh	140.	Centerline block
368	XF, NH	200.	Centerline block
368	XF, NH	85.	Schermack line pair
368H	XF, NH	425.	Pair; PSE cert.
368H	XF, NH	950.	Strip of 4; PSE cert.
368V	XF, NH	275.	Pair; PSE cert.
369	VF, LH	185.	
369	VF, NH	350.	
369	VF-XF, NH	475.	
370	F-VF, NH	13.	
370	VF, NH	16.	
371	XF, NH	35.	Pair @2X
371	XF, LH	85.	arrow block
371	XF, NH	160.	arrow block
371	XF, LH	160.	Center line block
371	XF, NH	200.	Center line block
371	XF, LH	175.	Corner block with "M.R.G."
371	XF, NH	950.	Brinkerhoff 1 pair with #5250
372	F-VF, NH	18.	
372	VF-XF, NH	24.	
373	XF, LH	25.	
373	XF, NH	43.	Pair@2X
373	XF, LH	100.	Arrow block
373	XF, NH	210.	Arrow block
373	XF, NH	250.	Centerline block
373	XF, LH	250.	Corner block with initials
373	XF, LH	525.	Set of 4 arrow blocks
374	VF, NH	15.	
374a	VF, LH	200.	Booklet pane
374a	F-VF, NH	300.	(J)
374a	VF, NH	350.	(A or B)
374a	XF, NH	475.	(A)
374a	F-VF, LH	180.	Pl. # 5454
374a	F-VF, LH	250.	Pl. #5268, 5447, 5449, or 5452
374a	F-VF, NH	350.	Pl. # 5452
375	VF, NH	10.	
375a	F-VF, LH	90.	Booklet pane
375a	VF, LH	110.	(A)
375a	F-VF, NH	140.	(A)
375a	VF, NH	200.	(A)
375a	VF, LH	150.	Pl. # 5466
375a	F-VF, NH	165.	Pl. # 5448, 59, 62, 64 or 67
375a	VF, NH	200.	Pl. # 5130, 5456, 66 or 67
376	VF-XF, NH	85.	
376	XF, NH	100.	
377	VF-XF, NH	85.	

378	VF-XF, NH	100.	
378	VF-XF, NH	125.	
379	VF-XF, LH	40.	
379	VF, NH	80.	
379	VF, NH	100.	#5222
379	VF-XF, NH	135.	
279	XF, NH	200.	PSE cert.
380	VF-XF, LH	140.	
380	VF-XF, NH	260.	
381	VF, LH	100.	
381	VF-XF, NH	275.	
382	VF-XF, NH	625.	
383	XF, NH	4.	
383	XF, LH	25.	Centerline block
384	XF, NH	7.	
384	XF, LH	50.	Centerline block
385	XF, NH	100.	
385	XF, NH	250.	Pair
385	XF, LH	450.	Line pair
385	XF, NH	1,000.	Line pair
386	F-VF, NH	100.	
386	F-VF, NH	225.	Pair
386	XF, NH	250.	
386	XF, NH	650.	Pair
386	VF, NH	500.	Paste up pair
386	F-VF, LH	1,000.	Line pair
386	XF, LH	1,200.	Line pair
387	F-VF, NH	275.	
387	XF, NH	400.	
387	XF, NH	1,000.	Pair
387	XF, NH	2,000.	Line pair
390	VF-XF, NH	15.	
390	XF, NH	35.	Pair
390	XF, LH	50.	Line pair
390	VF-XF, NH	100.	Line pair
390	XF, NH	125.	Line pair; PF cert.
391	VF, LH	40.	
391	VF-XF, NH	225.	Pair
391	XF, NH	900.	Line pair; PF cert.
392	VF, LH	190.	Line pair
392	XF, NH	400.	Line pair; PSE cert.
393	XF, LH	150.	Pair
393	VF, LH	225.	Line pair
393	VF-XF, LH	270.	Line pair
394	VF, LH	60.	
394	VF-XF, LH	150.	Pair-3mm; PF cert.
394	VF-XF, LH	150.	Pair-2mm
394	VF, LH	160.	Paste up pair
394	VF, NH	325.	Pair-3 mm-PSE cert
394	VF, NH	325.	Pair; PSE cert.
395	VF, NH	400.	Paste up pair; PSE cert.
394	VF, LH	400.	Line pair-2mm
394	XF, LH	500.	Line pair-2mm
394	VF-XF, LH	525.	Line pair-3mm; PSE cert.
394	F-VF, LH	425.	Paste-up pair with #5136
394	VF, NH	800.	Line pair-2mm; PSE cert.
395	VF, LH	60.	
395	VF, NH	120.	
395	XF, LH	200.	Pair-3mm
395	VF, LH	250.	Paste up pair

395	VF, NH	350.	Pair-3mm; APS cert.
395	VF-XF, NH	425.	Pair-PSE cert.
395	XF, LH	425.	Line pair
396	VF-XF, LH	60.	
396	VF, LH	150.	Pair
396	VF, LH	250.	Paste up pair
396	VF, NH	325.	Pair
396	VF, LH	425.	Line pair; PF cert.
396	VF-XF, LH	475.	Line pair; PF cert.
396	XF, LH	700.	Line pair; PF cert.
397	F-VF, NH	30.	
397	VF-XF, NH	60.	
397	XF, NH	80.	
397	XF-S, NH	125.	
398	F-VF, NH	35.	
398	VF-XF, NH	50.	
398	VF, NH	65.	Pl. # 6317
398	XF, NH	80.	
398	XF-S, NH	125.	
398	XF-S, NH	185.	Jumbo margins
399	VF, LH	75.	
399	F-VF, NH	125.	
399	VF, NH	165.	
399	XF, NH	225.	
399	XF-S, NH	300.	Jumbo margins
400	VF, LH	125.	
400	XF-S, LH	200.	Jumbo margins
400	F-VF, NH	225.	
400	F-VF, NH	275.	Pl. # 6130
400	VF, NH	275.	
400A	F-VF, NH	325.	
400A	VF, NH	400.	
400A	VF-XF, NH	475.	
400A	XF, NH	600.	
401	VF, NH	60.	
402	VF, LH	65.	
402	F-VF, NH	110.	
402	VF, NH	150.	
403	VF, NH	350.	
403	VF+, NH	400.	
404	VF, LH	800.	
404	VF-XF, LH	950.	
404	VF, NH	1,600.	
404	VF-XF, NH	1,750.	
404	VF, NH	1,900.	#6135
404	XF-S, NH	2,400.	
405	VF, NH	15.	
405	VF-XF, NH	30.	
405	XF, NH	75.	PSE cert.
405	XF-S, NH	125.	PSE cert.
405b	F-VF, LH	50.	Booklet pane
405b	Fine, NH	65.	
405b	F-VF, NH	85.	
405b	VF, NH	100.	
405b	F-VF, NH	100.	Pl. # 5776 + others
406	F-VF, NH	10.	
406	VF, NH	30.	Pl. # 7015
406a	VF, LH	60.	
406a	F-VF, NH	75.	
406a	VF, NH	100.	

406a	XF, NH	220.	
406a	F-VF, NH	100.	Pl. # 5937+ others
406a	VF, NH	120.	Pl. # 6560 + others
407	F-VF, LH	60.	
407	XF, LH	150.	
407	Fine, NH	75.	Pl. # 6919
407	F-VF, NH	135.	
407	VF, NH	160.	
407	XF-S, NH	225.	
408	VF-XF, NH	\$2.	
408	XF, NH	18.	Centerline block
408V	VF-XF, NH	10.	Strip of 4
408	XF, LH	10.	Centerline block
409	VF-XF, NH	2.	
409V	VF-XF, NH	16.	Strip of 4
409	XF, LH	20.	Centerline block
408-09	VF-XF, H	270.	Kansas City blocks
410	VF-XF, LH	20.	Pair
410	VF, LH	25.	Line pair
410	XF, LH	45.	Line pair
410	F-VF, NH	50.	Line pair
411	VF, NH	20.	
411	VF, NH	40.	Pair
411	VF, LH	45.	Line pair
411	F-VF, LH	50.	Paste-up pair
411	VF, NH	75.	Paste-up pair
411	VF-XF, NH	110.	Line pair
411	XF, NH	250.	Line pair
412	VF-XF, LH	35.	
412	VF-XF, NH	50.	
412	VF-XF, NH	100.	Pair
412	VF, LH	50.	Paste up pair
412	VF-XF, LH	100.	Line pair
413	XF, LH	85.	
413	VF-XF, LH	100.	Pair
413	VF-XF, NH	110.	Pair = \$220.
413	VF, LH	250.	Line pair
413	VF-XF, LH	280.	Line pair
413	VF-XF, NH	550.	Line pair
413	XF-S, NH	700.	Line pair
414	VF, NH	90.	
414	VF-XF, NH	135.	
414	XF, NH	200.	
415	F-VF, NH	95.	
415	VF, NH	115.	
416	VF, LH	40.	
416	VF, NH	100.	
416	XF, NH	175.	
416	VF-XF, NH	175.	Pl. # 5745
416	XF, NH	250.	
417	F-VF, NH	85.	
417	VF, NH	100.	
417	XF, NH	150.	
418	F-VF, NH	150.	
418	VF, NH	175.	
418	VF-XF, NH	200.	
419	F-VF, LH	110.	
419	VF, LH	160.	
419	F-VF, NH	325.	
419	VF, NH	375.	

419	VF-XF, NH	400.	
419	XF, NH	425.	
420	VF-XF, LH	175.	
420	F-VF, NH	200.	
420	VF, NH	225.	
420	VF-XF, NH	275.	
420	XF, NH	300.	
421	VF, LH	425.	
421	F-VF, NH	750.	
422	F-VF, LH	200.	
422	VF, LH	250.	
422	VF-XF, LH	275.	PSE cert.
422	XF, LH	300.	
422	F-VF, NH	425.	
423	F-VF, LH	450.	PF cert.
423	VF, LH	475.	
423	VF, NH	1,000.	
424	VF, NH	4.	
424	XF, NH	15.	
424d	VF, NH	8.	Booklet pane of 6
424d	VF-XF, NH	12.	
424d	VF, NH	18.	Pl. #
424e	VF, NH	1,700.	Imp. booklet pane-PFC
425	VF, NH	4.	
425	XF, NH	7.	
425	XF, NH	20.	
425e	F-VF, NH	20.	Booklet pane of 6
425e	VF, NH	25.	
425e	XF, NH	35.	
425e	F-VF, NH	45.	Pl. #
425e	VF, NH	60.	Pl. #
426	F-VF, NH	25.	
426	VF-XF, NH	35.	
426	XF, NH	60.	
427	VF-XF, LH	40.	
427	VF-XF, NH	100.	
428	VF-XF, LH	35.	
428	VF, NH	70.	
428	XF, NH	225.	
429	XF, LH	100.	Pl. # 7137
429	F-VF, NH	100.	Pl. # 5419 or 5430
429	VF, NH	95.	
429	VF-XF, NH	150.	
429	XF-S, NH	210.	
429	F-VF, NH	165.	Imprint pair
430	XF, LH	225.	
430	VF, NH	200.	
430	VF, NH	225.	Pl. # 6932
430	VF-XF, NH	250.	
430	XF-S, NH	375.	
431	VF-XF, LH	60.	
431	F-VF, NH	75.	
431	VF-XF, NH	125.	
431	VF, NH	170.	Imp. pair
432	VF, LH	50.	
432	F-VF, NH	75.	
433	F-VF, NH	90.	
433	VF, NH	115.	
433	VF-XF, NH	150.	
433	XF, NH	225.	

434	XF, LH	45.	
434	VF, NH	55.	
434	VF-XF, NH	80.	
434	VF-XF, NH	120.	#7498
434	XF, NH	125.	
434	XF-S, NH	175.	
435	VF-XF, NH	100.	
435	XF, NH	125.	
435a	F-VF, NH	60.	
435a	XF, NH	125.	
437	F-VF, NH	225.	
437	F-VF, NH	250.	#6825
437	VF+, NH	325.	#6833
437	VF-XF, NH	350.	
438	VF, LH	220.	
438	F-VF, NH	300.	
438	VF, NH	375.	
438	VF-XF, NH	475.	
438	XF, NH	600.	
439	F-VF, LH	200.	
439	XF, LH	375.	
439	VF, NH	550.	
439	VF-XF, NH	575.	
439	XF, NH	950.	
440	VF, LH	550.	
440	VF-XF, LH	600.	
441	VF	2.	Pair=\$5.
441	VF, NH	18.	Line pair
441	XF, NH	30.	Line pair
442	F-VF, NH	14.	
442	VF-XF, NH	19.	Pair = \$38.
442	XF, NH	50.	Pair
442	F-VF, NH	100.	Line pair
442	VF-XF, NH	130.	Line pair
442	XF, NH	175.	Line Pair
443	VF, LH	27.	Pair = 65.
443	VF-XF, NH	65.	Pair = 160.
443	F-VF, LH	75.	Paste-up pair
443	VF-XF, H	125.	Line pair
443	VF-XF, NH	325.	Line pair
444	VF-XF, LH	120.	Pair
444	VF-XF, NH	100.	Pair=\$220.
444	VF, NH	200.	Paste-up pair
444	VF, NH	500.	Line pair
444	XF, NH	675.	Line pair
445	VF, LH	235.	
445	VF, NH	2,400.	Line pair-PF cert.
445	VF-XF, LH	600.	Pair; PF cert.
446	VF, LH	300.	Pair
446	VF, H	600.	Line pair; PF cert.
447	F-VF, NH	75.	
447	VF, NH	90.	
447	VF-XF, LH	140.	Pair
447	VF, LH	150.	Paste up pair
447	VF-XF, LH	250.	Line pair-PSEcert.
447	VF, NH	265.	Pair; PF cert.
447	VF, LH	350.	Paste-up pair with #6739
447	VF-XF, NH	350.	Pair; PF cert.
447	VF-XF, NH	650.	Line pair-PF cert.
448	F-VF, NH	8.	

448	XF, NH	250.	Line pair
449	F-VF, LH	2,750.	PSE cert.
449	F-VF, LH	8,000.	Line pair; APS cert.
450	XF, LH	20.	
450	XF, NH	90.	Pair
450	VF, NH	450.	Line pair; PSE cert.
452	XF, LH	35.	Pair
452	VF, NH	140.	Line pair
452	XF, NH	250.	Line pair; PF cert.
453	VF-XF, LH	500.	Pair
453	F-VF, LH	500.	Line pair; PSE cert.
453	VF, LH	725.	Line pair; PF cert.
454	VF, LH	75.	
454	F-VF, NH	135.	
454	VF, LH	165.	Pair
454	VF-XF, NH	475.	Pair-PF cert.
454	F-VF, NH	550.	Line pair-PF cert.
455	XF, NH	25.	Pair = 55.
455	VF, LH	45.	Line pair
455	VF, NH	100.	Paste-up pair
455	VF, NH	100.	Line pair
456	VF, LH	200.	
456	VF-XF, LH	700.	PSE cert.
456	VF-XF, LH	1,250.	Line pair; PF cert.
456	VF, LH	200.	
456	XF, LH	300.	
456	VF-XF, LH	700.	Pair-PSE cert.
457	VF-XF, NH	55.	
457	VF-XF, LH	60.	Pair
457	XF, NH	200.	Pair
457	XF, LH	225.	Line pair
457	VF, NH	425.	Line pair; PSE cert.
458	XF, LH	100.	Pair
458	VF-XF, NH	225.	Pair
458	VF-XF, LH	180.	Line pair
458	VF, NH	350.	Line pair
458	VF-XF, NH	425.	Line pair-PSE cert.
459	XF, NH	400.	
459	XF, LH	450.	Pair
459	XF, LH	650.	Line pair; PSE cert.
459	XF, NH	800.	Pair; APS cert.
459	XF, LH	1,000.	Line pair; PF cert. no crease
460	VF, LH	750.	
460	VF-XF, NH	1,850.	PF cert.
461	XF, LH	250.	
461	VF, NH	350.	PF cert.
462	XF, NH	\$30.	
462a	F-VF, NH	12.	Booklet pane of 6
462a	VF, NH	16.	
462a	VF, NH	35.	Pl. #
462a	F-VF, NH	250.	Cracked plate at right
462a	VF, NH	300.	Cracked plate at right
462a	F-VF, H	500.	Cracked plate at left and right
462a	F-VF, NH	700.	Cracked plate at left
463	F-VF, NH	7.	
463	VF, NH	10.	
463	VF, NH	15.	
463	XF, NH	30.	
463a	F-VF, LH	75.	Booklet pane of 6
463a	VF, LH	90.	

463a	F-VF, NH	125.	
463a	VF, NH	170.	
463a	F-VF, LH	100.	Pl. #
463a	F-VF, NH	170.	Pl. #
463a	VF, NH	200.	Pl. #
463a	VF, LH or NH	1,450.	Complete set of 12 pl. #'s
464	VF, LH	70.	
464	VF-XF, LH	110.	
464	F-VF, NH	110.	
464	VF, NH	140.	
465	F-VF, NH	65.	
465	VF, NH	90.	
465	VF-XF, NH	150.	
466	F-VF, NH	110.	
466	VF, NH	150.	
466	VF-XF, NH	200.	
466	XF, NH	275.	
466	XF, NH	575.	Graded 90; PSE cert.
467	F-VF, NH	2,000.	Double error in bl. of 12
467	VF-XF, NH	3,100.	Double error in bl. of 12
468	VF-XF, LH	125.	
468	XF, LH	200.	
468	VF-XF, NH	300.	PSE cert.
469	VF-XF, LH	210.	
469	F-VF, NH	200.	
469	VF+, NH	400.	
469	VF-XF, NH	425.	
470	VF-XF, LH	120.	
470	F-VF, NH	100.	
470	VF, NH	130.	
470	VF-XF, NH	175.	
471	XF, NH	275.	
472	VF-XF, LH	125.	
472	F-VF, NH	160.	
472	VF, NH	220.	
472	VF-XF, NH	300.	
472	XF, NH	350.	
473	F-VF, LH	40.	
473	XF, LH	100.	
473	F-VF, NH	70.	
473	VF, NH	100.	
473	XF, NH	250.	
474	VF, LH	55.	
474	XF, LH	110.	
474	VF-XF, NH	200.	
475	VF-XF, LH	275.	
475	VF, NH	400.	
475	VF-XF, NH	450.	
475	XF, NH	600.	
476	F-VF, LH	175.	
476	F-VF, NH	425.	
476	VF, NH	575.	
476	VF-XF, NH	650.	
477	F-VF, H	800.	PF cert.
477	VF, LH	950.	
478	VF, LH	775.	
479	VF, LH	250.	
479	XF, NH	600.	
479	XF, NH	700.	
480	F-VF, NH	425.	
480	VF, NH	475.	

480	XF, NH	650.	
481	XF, NH	2.	
481	XF, NH	15.	Centerline block
481	XF, NH	30.	Set of 4 arrow blocks
482	XF, NH	2.	
482	XF, NH	15. each	Arrow. or Cent. line block
482	XF, NH	60.	Set of 4 arrow blocks
483	XF, NH	20.	
483	XF, LH	85.	Centerline block
483	XF, NH	100.	Arrow block
483	XF, LH	200.	Set of 4 arrow blocks
483	XF, LH	285.	Set of arr. and cent. line blocks
484	XF, NH	17.	
484	XF, LH	45.	Arrow block
484	XF, NH	110.each	Arrow or centerline block
484	XF, LH	155.	Set of 4 arrow blocks
484	XF, NH	300.	Set of 4 arrow blocks
484	XF, NH	350.	Set of arr. and cent. Line blocks
486	VF, NH	2.	Pairs @ 2x
486	VF, NH	8.	Line pair
487	VF, NH	23.	Pair@2X
487	F-VF, NH	195.	Line pair
488	VF, NH	4.	
488	F-VF, LH	30	Line pair
488	VF-XF, NH	90.	Line pair
489	VF, NH	8.	
489	XF, NH	14.	
489	VF, LH	30.	Line pair
489	VF, NH	60.	Line pair
490	VF, NH	1.	
490	VF, NH	6.	Line pair
490	XF, NH	20.	Line pair
492	VF, NH	14.	Pair@2X
492	VF-XF, NH	40.	Pair
492	F-VF, LH	50.	Line pair
492	F-VF, NH	85.	Line pair
492	VF-XF, NH	115.	Line pair
492	XF, NH	135.	Line pair
493	VF, NH	25.	Pair@2X
493	XF, NH	35.	Pair@2X
493	VF-XF, LH	100.	Line pair
493	VF-XF, NH	275.	Line pair
494	VF, NH	17.	Pair@2X
494	XF, NH	30.	Pair@2X
494	F-VF, NH	100.	Line pair
494	F-VF, NH	125.	Line pair
495	VF, NH	20.	Pair@2X
495	VF, NH	135.	Line pair
495	XF, NH	225.	Line pair
496	VF, NH	6.	Pair@2X
496	VF-XF, LH	30.	Line pair
496	F-VF, NH	40.	Line pair
496	VF, NH	60.	Line Pair
496	XF, NH	85.	Line pair
497	VF, LH	18.	Pair@2X
497	VF, NH	35.	Pair@2x
497	VF, LH	110.	Line pair
497	VF, NH	250.	Line pair
498	VF, NH	1.	

498e	VF, NH	4.	Booklet pane of 6
498e	VF, NH	10.	Plate #
498f	F-VF, LH	800.	Booklet pane of 30
498f	VF, LH	1,100.	
498f	VF, NH	1,450.	
498f	VF-XF, NH	1,700.	
499	VF, NH	1.	
499e	VF, NH	6.	Booklet pane of 6
499e	VF, NH	15.	Plate #
499f	F-VF, LH	21,000.	Booklet pane of 30; APS cert.
499f	VF, NH	30,000.	Booklet pane of 30; PF cert.
500	VF, NH	500.	
501	VF, NH	22.	
501	VF-XF, NH	30.	
501	VF-XF, NH	40.	#8093
501	XF-S, LH	100.	Jumbo; PSE cert.
501	XF-S, NH	100.	PSE cert.
501b	VF, LH	65.	Booklet pane of 6
501b	F-VF, NH	90.	
501b	VF, NH	110.	
501b	F-VF, NH	125.	Plate #
502	VF, NH	25.	
502	VF-XF, NH	60.	Pl. # 8355
502	XF-S, NH	75.	Jumbo
502b	F-VF, NH	50.	Booklet pane of 6
502b	F-VF, NH	65.	
502b	VF-XF, NH	95.	
502b	VF-XF, NH	120.	
502b	F-VF, NH	75.	Plate #
502b	VF-XF, NH	120.	Plate #
503	VF, LH	15.	#7599, 13570
503	F-VF, NH	18.	
503	XF, NH	35.	
503	VF-XF, NH	40.	#12551
503	XF-S, NH	120.	PSE cert.
504	VF, NH	17.	
504	XF, NH	30.	
504	XF, NH	50.	#7787
504	XF-S, NH	100.	PSE cert.
505	VF, LH	325.	Error
505	F-VF, NH	550.	Error
550	VF, NH	600.	Error
505	VF, NH	650.	Block of nine (LH) with error NH
505	XF, NH	900.	Block of nine (LH) with error NH
505	VF, NH	1,900.	Double error in block of 12.
506	F-VF, NH	21.	
506	VF, NH	25.	
507	F-VF, LH	23.	
507	VF, NH	50.	
507	F-VF, NH	45.	
507	VF-XF, NH	75.	
507	XF-S, NH	185.	
507	XF-S, NH	185.	#13750-PSE cert.
508	F-VF, NH	21.	
508	VF-XF, NH	26.	
509	F-VF, NH	22.	
509	VF-XF, NH	28.	
510	VF, NH	35.	
511	F-VF, NH	16.	
511	VF-XF, NH	20.	

512	VF, LH	10.	#12581
512	VF, NH	20.	
512a	F-VF, NH	15.	
512a	VF, NH	20.	
513	F-VF, NH	19.	
513	VF-XF, NH	24.	
513	XF-S, NH	60.	PSE cert.
514	F-VF, NH	65.	
514	VF, NH	75.	
515	XF-S, LH	65.	
515	F-VF, NH	80.	
515	VF, NH	95.	
516	VF, LH	30.	
516	F-VF, NH	45.	
516	VF-XF, NH	70.	
516	XF, NH	100.	
517	VF, NH	125.	
517	VF-XF, NH	150.	
518	VF, LH	45.	
518	VF, LH	65.	#5782
518	VF, NH	100.	
518	VF-XF, NH	150.	
518	XF, NH	225.	
518	XF, NH	275.	#5782
519	F-VF, NH	700.	PF cert.
523	VF, LH	575.	
523	F-VF, NH	750.	Nat. gum skip
523	VF, NH	1,000.	PSE cert.
524	VF, NH	400.	
524	XF, NH	1,800.	CL block; PSE cert.
525	XF, NH	14.	
526	F-VF, NH	40.	
526	VF, NH	55.	
526	XF, NH	85.	
527	F-VF, NH	35.	
527	F-VF, NH	45.	#11054
527	VF-XF, NH	70.	
527	XF, NH	100.	
527	XF, NH	145.	#11185 or 11284
528	F-VF, NH	17.	
528	VF-XF, NH	35.	
528A	VF, NH	110.	
528B	F-VF, NH	37.	
528B	VF, NH	50.	
528B	VF-XF, NH	85.	
529	VF, NH	6.	
530	VF, NH	4.	
531	VF-XF, NH	23.	Pair@2X
531	VF-XF, LH	50.	Centerline block
531	VF-XF, NH	110.	Centerline block
531	XF, NH	425.	Set of 4 arrow blocks
532	VF-XF, NH	75.	Pair@2X
532	XF, LH	200.	Centerline block
532	XF, NH	325.	Right arrow block
533	VF-XF, NH	210.	Pair@2X
534	VF-XF, NH	25.	Pair@2X
534	VF-XF, NH	65.	Centerline block
534	VF-XF, NH	120.	Centerline block
534	VF-XF, LH	90.	Arrow block
534	VF-XF, NH	120.	Arrow block
534	VF-XF, LH	225.	Set of 4 arrow blocks

534	VF-XF, NH	450.	Set of 4 arrow blocks
534A	VF-XF, NH	90.	Pair@2X
535	VF-XF, NH	19.	Pair@2x
535	VF-XF, NH	70.	Arrow block; pre-cancelled Boston
535	VF-XF, LH	45.	Centerline block
535	VF-XF, NH	80.	Centerline block
535	VF-XF, LH	195.	Set of 4 arrow and CL blocks
535	VF-XF, NH	300.	Set of 4 arrow blocks
536	VF, NH	45.	
537	F-VF, NH	15.	
537	VF, NH	18.	
537	XF, NH	90.	
537	Fine, NH	60.	Corner block with "J.T.W.M."
537a	F-VF, LH	1,200.	PF cert.
538	F-VF, NH	18.	
538	VF, NH	24.	
538A	VF, LH	45.	Pair
538A	VF, LH	80.	Block of 4
538A	VF, NH	80.	Pair
540	F-VF, NH	20.	
540	VF, NH	28.	
540	VF-XF, NH	40.	
541	VF, NH	110.	
541	F-VF, NH	110.	#8483
541	VF-XF, NH	200.	
542	VF, NH	27.	
543	VF, NH	2.	
546	VF-XF, NH	350.	PF cert.
547	VF, LH	150.	
547	VF-XF, LH	175.	
547	VF, NH	325.	
547	XF-S, NH	425.	
547	VF, NH	1,250.	Centerline block
548	F-VF, NH	8.	
548	VF-XF, NH	10.	
548	VF, NH	65.	Corner block with :G.W."
549	F-VF, NH	11.	
549	VF-XF, NH	16.	
549	VF-XF, LH	65.	Corner block with S.S.L."
550	VF, NH	70.	
550	VF-XF, NH	95.	
551	VF, NH	1.	
552 or 554	VF, NH	2. each	
553	VF, NH	4.	
552a	VF, NH	8.	Booklet pane
552a	XF, NH	15.	
552a	VF, NH	21.	Plate#
554c	VF-XF, NH	15.	Booklet pane
554c	VF-XF, NH	21.	Plate#
555, 556 or 557	F-VF, NH	30. each	
555, 556, or 557	VF-XF, NH	40. each	
558	F-VF, NH	55.	
558	VF, NH	70.	
559	F-VF, NH	13.	
559	VF-XF, NH	25.	
559	XF, NH	30.	
560	F-VF, NH	70.	
560	VF-XF, NH	100.	

560	VF, NH	125.	Pl. # 14570
561	F-VF, NH	24.	
561	VF-XF, NH	35.	
562	F-VF, VF	30.	
562	VF-XF, NH	45.	
563	VF-XF, NH	3.	
564	F-VF, NH	10.	
564	VF-XF, NH	20.	
565	F-VF, NH	6.	
565	VF-XF, NH	10.	
566, 567 or 568	F-VF, NH	33.	
566, 567 or 568	VF-XF, NH	50.	
566	XF, NH	100.	Pl. # 14912
566	VF, NH	250.	Corner block of 4 with "R.F.W."
569	F-VF, NH	50.	
569	VF, NH	60.	
569	VF-XF, NH	70.	
569	VF, NH	85.	#20193 or 14436
570	F-VF, NH	70.	
570	VF, NH	90.	
570	VF-XF, NH	100.	
571	F-VF, NH	75.	
571	VF-XF, NH	85.	
571	VF-XF, NH	125.	#18682
571	VF-XF, NH	375.	Top arrow block
572	VF-XF, LH	70.	
572	F-VF, NH	135.	
572	VF-XF, NH	185.	
572	VF, NH	300.	Corner single with "J.C.F."
572	XF, NH	650.	Top arrow block
573	VF-XF, LH	165.	Pl. # 14327
573	VF-XF, NH	225.	
573a	VF, LH	175.	Pl. # 14327
573a	VF-XF, NH	350.	
573	VF-XF, NH	975.	Center line block
575	VF-XF, NH	10.	
575	VF-XF, NH	60.	Top arrow or CL block
575	VF-XF, LH	100.	Set of 4 arrow blocks
576 or 577	VF-XF, NH	2. each	
576 or 577	VF-XF, LH	25.	Set of 4 arrow blocks
576 or 577	VF-XF, NH	40.	Set of 4 arrow blocks
575-577	VF-XF, LH	50.	Set of centerline blocks
575-577	VF-XF, NH	90.	Set of centerline blocks
576	XF, LH	25.	Set of arrow blocks
576	XF, LH	50.	Set of centerline blocks
577	XF, NH	50.	Set of arrow blocks
577	XF, NH	80.	Set of arrow and centerline blocks
578	F-VF, NH	150.	
578	VF-XF, NH	190.	
579	F-VF, NH	125.	
579	VF-XF, NH	165.	
581	F-VF, NH	17.	
581	VF-XF, NH	23.	
582	F-VF, NH	9.	
582	VF-XF, NH	12.	
583	F-VF, NH	4.	
583	VF-XF, NH	7.	
583a	Ave-Fine, NH	50.	Booklet pane
583a	Fine, NH	85.	
583a	F-VF, NH	135.	

583a	VF, NH	175.	
584	F-VF, NH	52.	
584	VF-XF, NH	70.	
585 or 586	F-VF, NH	33.	
585 or 586	VF-XF, NH	45.	
587	F-VF, NH	16.	
587	VF-XF, NH	25.	
588	F-VF, NH	23.	
588	VF-XF, NH	35.	
589	F-VF, NH	58.	
589	VF-XF, NH	65.	
590	F-VF, NH	10.	
590	VF-XF, NH	20.	
591	F-VF, NH	80.	
591	VF-XF, NH	140.	
581-91 set	F-VF, NH	275.	
581-91 set	VF-XF, NH	500.	
595	VF, LH	250.	
595	VF, NH	475.	
599A	Fine, NH	400.	Pair
599A	F-VF, NH	450.	Pair
599A	VF-XF, NH	650.	Pair
599-599A	F-VF, NH	800.	Line pair
599A	F-VF+, NH	1,100.	Line pair; PF cert.
597-606 set	VF, NH	25.	Pairs = \$50., (no 599A)
597-606 set	VF, NH	135.	Line pairs, no 599A
599A	F-VF, NH	210.	Pair = \$420.
599A	Fine, NH	800.	Line pair
599A	F-VF, NH	1,100.	Line pair
599, 599A	Fine, NH	800.	Line pair
610	VF-XF, NH	1.	
611	VF-XF, NH	9.	
611	VF-XF, NH	40.	Arrow block
611	VF-XF, NH	60.	Corner margin block with :J.H.S."
611	XF-S, LH	55.	Center line block
611	VF-XF, NH	175.	Set of 4 arrow blocks
612	F-VF, NH	23.	
612	VF-XF, NH	29.	
614 or 617	F-VF, NH	3.	
614 or 617	VF-XF, NH	4.	
615 or 618	F-VF, NH	6.	
615 or 618	VF-XF, NH	8.	
616 or 619	F-VF, NH	25.	
616 or 619	VF-XF, NH	32.	
620	F-VF, NH	4.	
620	VF-XF, NH	6.	
620	VF, NH	25.	Arrow Block
620	VF, NH	35.	Centerline block
621	F-VF, NH	17.	
621	VF-XF, NH	22.	
621	VF, NH	90.	Arrow block
621	VF, NH	125.	Centerline block
622	F-VF, NH	16.	
622	VF-XF, NH	25.	
623	F-VF, NH	18.	
623	VF-XF, NH	24.	
627	F-VF, NH	3.	
627	VF-XF, NH	4.	
628	F-VF, NH	6.	

628	VF-XF, NH	8.	
629	VF, NH	3.	
630	F-VF, LH	300.	
630	F-VF, NH	375.	
630	VF, NH	450.	
630	XF, NH	525.	
631	VF-XF, NH	2.	
632-42	VF-XF, NH	25.	
634A	VF-XF, LH	400.	
634A	Fine, NH	525.	
634A	VF, NH	650.	APS cert.
634A	VF-XF, NH	750.	PSE cert.
634b	F-VF, NH	850.	Carmine lake shade; PSE cert.
643	VF, NH	2.	
644	VF, NH	4.	
645	VF, NH	1.	
646	VF, NH	1.	
647-8	F-VF, NH	20.	
647-48	VF-XF, NH	27.	
649-50	VF, NH	8.	
651	VF, NH	1.	
654 or 655	VF, NH	1.	
656	VF, NH	19.	
656	VF-XF, LH	60.	Line pair
656	VF, NH	80.	Line pair
657	VF, NH	1.	
658, 659 or 660	F-VF, NH	3. each	
658, 659 or 660	VF-XF, NH	5. Each	
661 or 662	VF, LH	20.	
661 or 662	F-VF, NH	29.	
661 or 662	VF-XF, NH	34.	
663	F-VF, NH	17.	
663	VF-XF, NH	25.	
664	VF, LH	25.	
664	F-VF, NH	40.	
664	VF, NH	50.	
664	VF-XF, NH	85.	
665	VF, LH	27.	
665	F-VF, NH	37.	
665	VF-XF, NH	50.	
666	VF, LH	75.	
666	F-VF, NH	110.	
666	VF, NH	125.	
666	VF-XF, NH	170.	
666	XF, NH	225.	
667	VF, LH	15.	
667	F-VF, NH	18.	
667	VF, NH	24.	
667	VF-XF, NH	35.	
668	VF, LH	22.	
668	F-VF, NH	35.	
668	VF-XF, NH	45.	
658-668	F-VF, NH	350.	Kansas set
658-668 set	VF, NH	475.	Kansas set
658-668	VF-XF, NH	600.	Kansas set
669, 670 or 671	F-VF, NH	4. each	
669, 670 or 671	VF-XF, NH	6. Each	
672	XF, LH	18.	
672	F-VF, NH	20.	
672	VF-XF, NH	35.	

673 or 674	VF, LH	18 each.	
673 or 674	F-VF, NH	28. each	
673 or 674	VF, NH	33.	
673 or 674	VF-XF, NH	50. each	
675	VF, LH	40.	
675	F-VF, NH	60.	
675	VF, NH	70.	
675	VF-XF, NH	95.	
675	XF, NH	150.	
676	F-VF, LH	20.	
676	F-VF, NH	34.	
676	VF, NH	41.	
676	VF-XF, NH	60.	
677	VF, LH	32.	
677	F-VF, NH	45.	
677	VF, NH	60.	
677	VF-XF, NH	90.	
677	XF, NH	120.	
678	VF, LH	30.	
678	F-VF, NH	50.	
678	VF, NH	60.	
678	VF-XF, NH	90.	
679	VF, LH	75.	
679	F-VF, NH	145.	
679	VF, NH	210.	
679	VF-XF, NH	300.	
669-679 set	F-VF, NH	450.	Nebraska set
669-679 set	VF, NH	600.	Nebraska set
658-679 set	F-VF, NH	700.	Kansas-Nebraska set
658-679 set	VF, NH	900.	Kansas-Nebraska set
658-679 set	VF-XF, NH	1,300.	Kansas-Nebraska set
692-701 set	VF-XF, NH	120.	
704-15 set	VF-XF, NH	30.	
720b	VF, NH	50.	Booklet pane
723	VF, NH	15.	
723	VF, NH	65.	Line pair
756-65 set	XF, NH	110.	Centerline blocks
832	XF, NH	2,000.	Centerline block; PF cert.
833	VF-XF, NH	18.	
833	VF-XF, NH	90.	Arrow, CL, or corner block
834	VF-XF, NH	85.	
834	VF-XF, NH	375.	CL or corner block
834	VF-XF, NH	600.	Bottom arrow block
832-34	VF-XF, NH	500.	Centerline blocks
803-34 set	VF-XF, NH	135.	
839-51 set	VF-XF, NH	60.	Pairs
839-51 set	VF, NH	120.	Line pairs
859-93 set	VF-XF, NH	28.	
1053	VF-XF, NH	60.	
1058b	VF, NH	300.	Line pair-large holes-wet pr.
1059	VF, NH	400.	Line pair-small holes
1213c	VF, NH	80.	Booklet pane-sol. 2-tagged
1510f	VF, NH	625.	Imperforate pair
1891	VF, NH	750.	#6-strip of 3
1891	VF, NH	2,500.	#6-strip of 5
AIRMAILS			
C1	VF, LH	\$55.	
C1	F-VF, NH	85.	
C1	VF-XF, NH	120.	

C1	VF, NH	400.	Centerline block
C1	VF-XF, NH	475.	Centerline block
C1	VF, LH	250.	Left arrow block
C1	VF, NH	350.	Left arrow block
C1	VF, NH	350.	Top arrow block; LH is selvage
C1	VF, NH	475.	Top arrow block
C2 or C3	VF, LH	70. each	
C2 or C3	VF-XF, LH	80. each	
C2 or C3	F-VF, NH	100. each	
C2 or C3	VF-XF, NH	145. each	
C2 or C3	XF, NH	200. each	
C2	XF, NH	500.	Block of 4
C2	VF, LH	325.	Centerline block
C2	VF-XF, NH	600.	Centerline block
C3	VF, LH	335.	Bottom or left arrow block
C3	VF, LH	400.	Right arrow block
C3	VF, NH	575.	Top arrow block
C3	XF, LH or NH	400.	Centerline block
C3	XF, NH	575.	Centerline block
C4	F-VF, NH	30.	
C4	VF-XF, NH	38.	
C4	VF-XF, NH	100.	top #14825
C4	VF-XF, NH	175.	Block of 4
C4	XF, NH	225.	Block of 4
C5 or C6	VF, H	70.	
C5 or C6	F-VF, NH	100.	
C5 or C6	VF, NH	135.	
C5 or C6	XF, NH	200.	
C6	VF-XF, NH	225.	#14841
C6	VF, NH	600.	Block of 4
C10a	F-VF, NH	80.	
C10a	VF-XF, NH	115.	
C13	F-VF, LH	210.	
C13	VF, LH	235.	
C13	F-VF, NH	325.	
C13	VF, NH	375.	
C13	XF, NH	450.	
C14	F-VF, LH	350.	
C14	F-VF, NH	750.	#20085
C14	VF, NH	800.	
C14	XF, NH	1,000.	
C15	VF, LH	650.	
C15	VF, NH	1,100.	
C15	XF, NH	1,250.	
C13-15 set	VF, LH	1,300.	
C13-15 set	VF-XF, LH	1,500.	
C13-14 set	XF, LH	1,650.	Plate #'s
C13-15 set	VF, NH	2,000.	
C13-15 set	VF-XF, NH	2,500.	
C13-15 set	VF-XF, NH	2,600.	Plate #'s
C13-15 set	XF, NH	3,000.	
C18	VF, LH	60.	
C18	VF, NH	85.	
C18	XF, NH	100.	
C18	VF-XF, NH	400.	Pl. # block of 4
C23a	VF-XF, NH	300.	Imperforate pair
C23c	VF, LH	110.	Ultramarine shade
C64b	VF, NH	45.	Booklet pane-slogan 2

SPECIAL DELIVERY

E1	F-VF, LH	\$350.	
----	----------	--------	--

E1	VF, LH	400.	
E1	VF-XF, LH	450.	
E1	XF-S, LH	650.	
E1	F-VF, NH	750.	
E1	VF-XF, NH	950.	
E2	F-VF, LH	375.	
E2	VF-XF, LH	425.	
E2	XF, LH	600.	
E3	F-VF, LH	175.	
E3	VF, LH	240.	PF cert.
E3	VF-XF, LH	300.	PF cert.
E3	F-VF, NH	400.	
E3	VF, NH	475.	
E4	Fine, LH	300.	
E4	F-VF, LH	450.	
E4	VF, H	750.	Pl. #77
E4	VF-XF, LH	950.	
E4	F-VF, NH	1000.	
E5	VF-XF, LH	190.	
E5	VF, LH	225.	Pl. #77
E5	VF-XF, LH	300.	
E5	VF-XF, NH	450.	Pl. # 257
E5	F-VF, LH	750.	Pl. # strip. of 3
E6	F-VF, LH	150.	
E6	F-VF, NH	200.	Natural crease
E6	VF-XF, LH	250.	
E7	XF, LH	55.	
E7	F-VF, NH	90.	
E7	VF, NH	120.	
E8a	VF, LH	80.	
E8	VF-XF, LH	150.	
E8	VF, NH	225.	Pl. #5539
E8a	VF, NH	350.	
E8	VF-XF, NH	375.	PSE cert.
E9	XF, LH	225.	
E9	XF, LH	250.	Pl. # 5854
E9	VF-XF, LH	275.	
E9a	VF-XF, H	220.	
E9a	VF, NH	450.	
E10	F-VF, LH	210.	
E10	VF, NH	525.	
E11	F-VF, NH	35.	
E11	VF-XF, NH	45.	
E11	VF, NH	60.	Pl. # 8507
E11	XF, NH	85.	Pl. # 8506
E12	F-VF, NH	60.	
E12	VF-XF, NH	75.	
E13	VF, NH	40.	
E13	VF-XF, NH	55.	
F1	VF, LH	70.	

POSTAGE DUES

J1	VF, LH	\$75.
J1	Fine, NH	75.
J2	VF, no gum	225.
J2	Fine, H	250.
J2	F-VF, LH	375.
J3	F-VF, LH	75.
J3	Fine, NH	125.
J3	F-VF, NH	200.
J4	F-VF, H	325.

J4	VF, H	375.	
J6	Fine, H	250.	
J6	VF, H	325.	
J6	Fine, NH	350.	
J6	F-VF, NH	425.	
J16	VF-XF, H	70.	
J16	F-VF, NH	125.	
J17	VF, LH	800.	
J18	VF, no gum	400.	PSE cert.
J18	F-VF, H	450.	
J18	VF, LH	550.	
J19	F-VF, no gum	250.	
J19	F-VF, NH	350.	
J19	VF, LH	575.	PSE cert.
J20	F-VF, no gum	110.	
J20	VF, H	185.	
J20	VF-XF, LH	225.	PSE cert.
J22	VF, H	22.	
J22	VF-XF, NH	65.	
J23	F-VF, H	25.	
J23	F-VF, NH	65.	
J24	VF-XF, LH	65.	
J25	F-VF, LH	75.	
J25	VF-XF, H	85.	
J26	Fine, LH	110.	
J26	VF LH	150.	
J27	VF, H	475.	
J28	VF, H	350.	Thinned
J28	VF, NH	1000.	
J29	F-VF, NH	5,000.	PF cert.
J32	VF, H	50.	
J33	F-VF, LH	175.	
J33	VF, NH	575.	PSE cert.
J34	VF-XF, H	275.	
J35	F-VF+, LH	325.	
J35	VF+, LH	400.	PSE cert.
J36	Fine, LH	275.	
J38	VF-XF, NH	45.	
J38	XF, NH	80.	
J39	VF, NH	60.	#247
J41	F-VF, H	55.	
J41	VF, H	70.	
J41	VF-XF, NH	325.	
J42	F-VF, LH	65.	
J42	VF, H	85.	
J42	XF, H	200.	PSE cert.
J42	VF, NH	325.	
J43	F-VF, H	350.	
J44	F-VF, H	300.	
J44	VF, LH	425.	
J46	VF, H	35.	
J46a	F-VF, NH	75.	
J47	F-VF+, H	550.	APS cert.
J47	F-VF+, H	600.	PSE cert.
J47	VF, LH	625.	
J48a	F-VF, LH	95.	
J49	F-VF, H	100.	
J49	VF-XF, LH	150.	
J49a	F-VF, LH	100.	
J50	Fine, H	575.	Pl. # 5527
J50	F-VF, LH	850.	

J52	VF, NH	230.	
J53	VF, NH	250.	PF cert.
J54	Fine, H	375.	
J55	F-VF, NH	110.	
J55a	VF, NH	150.	
J56	F-VF, LH	70.	
J56a	F-VF, LH	55.	
J57	F-VF, LH	195.	
J57	VF, LH	200.	
J57	XF, LH	240.	
J57	F-VF, NH	350.	
J60	VF, LH	175.	
J60	VF, NH	575.	
J60	VF, NH	800.	PF cert.
J61 or J62	F-VF, NH	8.	
J62	VF, NH	15.	
J63a	F-VF, NH	30.	
J63	XF, NH	80.	
J64	F-VF, NH	25.	
J64	VF, NH	35.	
J64	VF-XF, NH	75.	
J64	XF, NH	100.	PSE cert.
J64	VF, NH	200.	Corner block with "B.M.C."
J65	VF, NH	50.	
J65	XF, NH	125.	PF cert.
J65a	XF, NH	110.	#6555
J65	VF, NH	250.	Block of with" W.Mc. A."
J66	VF, LH	75.	
J66	VF-XF, LH	90.	
J66	F-VF, NH	175.	
J66	VF-XF, NH	250.	
J66	VF-XF, NH	285.	#15876
J66a	VF, LH	75.	
J66a	F-VF, NH	185.	
J66a	VF, NH	210.	
J67	F-VF, LH	95.	
J67	F-VF, NH	250.	
J67	F-VF+, NH	300.	PSE cert.
J67	F-VF, NH	250.	#20036
J69	XF, NH	20.	
J70	VF-XF, NH	15.	
J71	XF, NH	20.	
J72	VF, NH	45.	
J72	VF-XF, NH	85.	
J73	F-VF, NH	35.	
J73	VF, NH	45.	
J73	VF, NH	60.	#20212
J74	F-VF, NH	80.	
J75	VF, LH	120.	
J75	VF, NH	325.	
J76	Fine, NH	275.	
J76	F-VF, NH	275.	
J76	VF, NH	325.	
J77	VF, NH	60.	
J77a	VF, NH	50.	
J78	VF, NH	75.	
J78	VF, NH	90.	#20158
J87	VF, NH	45.	
SHANGHAI'S			
K1	VF, NH	\$65.	

K1	XF, NH	160.
K2	VF, NH	60.
K2	VF-XF, NH	100.
K2	XF, NH	140.
K3	F-VF, NH	110.
K3	VF+, NH	140.
K3	VF-XF, NH	200.
K4	F-VF, NH	125.
K5	XF, LH	125.
K5	F-VF, NH	125.
K5	VF-XF, NH	275.
K5	XF, NH	300.
K6	F-VF, LH	75.
K6	F-VF, NH	175.
K6	VF, NH	220.
K6	VF-XF, NH	295.
K7	F-VF, NH	135.
K7	VF, NH	200.
K7	VF-XF, NH	250.
K8	VF, NH	170.
K9	XF, LH	125.
K9	F-VF, NH	110.
K9	VF, NH	140.
K9	VF-XF, NH	200.
K10	F-VF, LH	55.
K10	F-VF, NH	100.
K10	VF, NH	160.
K10	VF-XF, NH	250.
K11a	F-Vf+, NH	200.
K11a	XF, NH	375.
K12	F-VF, NH	150.
K12	VF-XF, NH	325.
K13	F-VF, LH	100.
K13	VF-XF, LH	125.
K13	F-VF, NH	200.
K13	VF-XF, NH	275.
K13	VF-XF, NH	400.
K14	F-VF, LH	90.
K14	F-VF, NH	190.
K14	VF, NH	250.
K15	F-VF, NH	500.
K15	VF, NH	850.
K15	VF-XF, NH	1,150.
K16	F-VF, LH	300.
K16	VF, LH	425.
K16	F-VF, NH	750.
K16	VF-XF, NH	1000.
K17	F-VF, LH	90.
K17	VF, NH	225.
K18	F-VF, NH	175.
K18	VF+, NH	275.
K18	VF-XF, NH	300.
K18	XF, NH	400.

Pl. # 13129

PARCEL POST

Q1	VF, NH	\$13.
Q1	XF, NH	22.
Q1	XF-S, NH	60.
Q2	VF, NH	19.
Q2	XF, NH	50.
Q3	VF, LH	12.

Q3	F-VF, NH	25.	
Q3	VF, NH	32.	
Q3	VF, NH	50.	Imprint three
Q3	VF-XF, NH	50.	
Q3	XF, NH	100.	
Q4	VF, LH	30.	Pl. #'s
Q4	F-VF, NH	85.	
Q4	VF, NH	100.	Pl. #'s
Q4	VF-XF, NH	150.	
Q4	XF, NH	175.	
Q4	VF-XF, NH	200.	#6347
Q4	XF, NH	220.	
Q5	VF, LH	28.	
Q5	F-VF, NH	65.	
Q5	VF, NH	85.	
Q5	XF, NH	200.	
Q6	VF-XF, LH	50.	
Q6	VF, NH	90.	
Q6	VF+, NH	150.	
Q6	XF, NH	250.	
Q7	VF, LH	60.	
Q7	F-VF, NH	125.	
Q7	VF, NH	165.	
Q7	VF-XF, NH	225.	
Q7	XF, NH	350.	
Q8	F-VF, LH	115.	
Q8	VF, LH	125.	
Q8	XF, LH	225.	
Q8	VF, NH	275.	
Q9	XF, LH	95.	
Q9	F-VF, NH	110.	
Q9	VF, NH	180.	
Q9	VF-XF, NH	225.	
Q9	XF, NH	275.	
Q10	VF, NH	600.	
Q10	VF-XF, NH	700.	
Q10	XF, NH	900.	
Q11	VF, LH	75.	
Q11	XF, LH	125.	
Q11	F-VF, NH	150.	
Q11	VF, NH	225.	
Q11	VF NH	300.	Pl. #6288
Q11	VF-XF, NH	300.	
Q11	XF, NH	400.	
Q12	F-VF, NH	550.	
Q12	VF, NH	700.	
Q12	XF, NH	1000.	
JQ1	VF, NH	10.	
JQ2	VF, LH	65.	
JQ2	F-VF, NH	135.	
JQ2	VF, NH	175.	
JQ2	VF-XF, NH	200.	
JQ3	F-VF, NH	27.	
JQ3	VF-XF, NH	45.	
JQ4	F-VF+, LH	140.	
JQ4	Fine, NH	175.	
JQ4	F-VF, NH	275.	
JQ4	VF, NH	350.	
JQ4	VF-XF, NH	400.	
JQ4	XF, NH	600.	

JQ5	VF, LH	100.
JQ5	Fine, NH	150.
JQ5	F-VF, NH	200.
JQ5	VF, NH	225.
QE1-4 set	VF-XF, NH	40.

OFFICIALS

O1	VF-XF, no gum	\$185.
O1	VF, H	225.
O2	F-VF, H	185.
O3	XF, no gum	100.
O3	F-VF, H	135.
O3	VF, H	185.
O4	F-VF, H	140.
O5	VF, no gum	200.
O5	F-VF, LH	275.
O6	VF, no gum	200.
O6	F-VF, H	200.
O6	VF, H	225.
O7	Fine, H	200.
O7	F-VF, H	275.
O8	VF, H	375.
O8	XF, LH	500.
O9	F-VF, H	375.
O10	Fine, no gum	325.
O10	F-VF, H	500.
O12	VF, H	600.
O14	VF, H	550.
O15	XF, H	100.
O15	XF, LH	150.
O16	VF, H	60.
O19	VF, LH	60.
O20	F-VF, H	65.
O22	VF, H	120.
O23	F-VF, LH	150.
O24	VF, LH	260.
O25	F-VF, LH	200.
O25	VF, H	225.
O26	Fine, H	125.
O28	F-VF, LH	175.
O28	VF, H	200.
O29	F-VF, H	200.
O29	VF, H	250.
O29	VF-XF, LH	350.
O30	VF, no gum	90.
O30	F-VF, H	210.
O32	VF, H	700.
O33	F-VF, H	550.
O34	F-VF, LH	850.
O34	VF H	1,500.
O36	F-VF, H	95.
O36	VF, H	125.
O37	VF, LH	135.
O39	VF, LH	525.
O42	Fine, H	200.
O45	Fine, no gum	200.
O45	Fine, H	450.
O45	F-VF, H	750.
O51	VF, H	125.
O53	VF, H	100.
O55	VF, H	165.

O56	F-VF, no gum	70.	
O56	F-VF, H	125.	
O56	Fine, no gum	160.	Block of 4
O57	F-VF, H	150.	
O57	VF, H	200.	
O58	F-VF, H	160.	
O59	VF, LH	220.	
O60	F-VF, LH	190.	
O61	VF, H	200.	
O61	VF-XF, LH	225.	
O63	VF-XF, no gum	135.	
O64	VF, no gum	115.	
O64	F-VF, H	250.	
O66	VF, H	425.	
O67	Fine, H	350.	
O67	F-VF, H	400.	
O67	VF-XF, no gum	500.	
O68	Fine, H	750.	
O68	VF, LH	1,100.	
O69	VF, H	5,500.	PF cert.
O71	F-VF, LH	4,250.	PF cert.
O72	VF, LH	100.	
O74	VF, H	90.	
O76	F-VF, H	175.	
O76	VF, LH	210.	
O76	VFXF, LH	240.	
O77	VF-XF, LH	350.	
O79	F-VF, no gum	85.	
O79	F-VF, LH	175.	
O80	F-VF, no gum	275.	
O81	VF, H	325.	
O82	F-VF, H	185.	Part OG
O82	F-VF, LH	225.	
O82	VF-XF, H	325.	
O83	F-VF, H	150.	
O84	F-VF, H	135.	
O85	VF, no gum	80.	
O86	VF, no gum	225.	
O86	F-VF, LH	350.	
O87	VF, H	100.	
O90	F-VF, LH	60.	
O91	VF, LH	70.	
O93	VF, H	175.	
O101	VF, LH	275.	PF cert.
O102	F-VF, no gum	175.	
O102	VF, LH	325.	
O107	F-VF, H	300.	
O109	VF, LH	70.	
O111	F-VF, LH	200.	
O112	VF, no gum	1,000.	PSE cert.
O118	VF-XF, LH	85.	
O120	VF, H	190.	
O122	F-VF, LH	135.	
O123	F-VF, LH	150.	
Guam:			
13	Unused, no gum	\$3,500.	PF cert.
Philippines:			
223A	F-VF+, LH	\$2,100.	PF cert.
225	VF, LH	750.	PF cert.

237	VF, LH	400.	
238	VF, LH	700.	
239	VF, H	850.	
240a	F-VF, LH	900.	Booklet pane
241-254 set	VF, LH	500.	
276a	VF, LH	650.	Booklet pane
277a	VF, LH	675.	Booklet pane
C15	F-VF+, LH	1,200.	PF cert.
C16	F-VF, LH	5,250.	PF cert.

01-15-10